



FEATURES

- The intuitive helm comes standard with Dual 9" Simrad® touchscreen displays with Mercury® VesselView® Link Data, chartplotting maps (North America Only), depth & fishfinder capabilities and Active Trim control & monitoring.
- Best-In-Class seating layout includes seating for 18 anchored by cockpit social area & "Concealable" transom loungers.
- Mercury VesselView® Mobile
 - links to your iPhone® or Android™ mobile device via Bluetooth® technology.
- NextWave™ Innovations, such as unique storage solutions throughout the interior and proprietary Quiet Ride™ Technology enhance the boater's experience.
- Premium Fusion® audio system with Bluetooth®, Wi-Fi audio streaming with Apple AirPlay® 2 & Digital Signal Processing (DSP).
- Optional Elite Plus package available.

EXTERIOR COLORS



STANDARD PROPULSION

Twin Mercury® 350 Verado® Outboards with Joystick Piloting (T-350 hp / 261 kW)



FUEL CAPACITY

160 gal / 606 L



LENGTH OVERALL

34'7" / 10.54 m
with integral / extended swim platform



LENGTH OVERALL

38'0" / 11.58 m
with outboard engines



BEAM

10'7" / 3.23 m



DRAFT

32" / 81 cm (outboards down)
23" / 58 cm (outboards up)



DRY WEIGHT

13,027 lb / 5,909 kg



DEADRISE

21°



WATER CAPACITY

30 gal / 114 L



YACHT CERTIFIED

Specifications are approximations and subject to variance.

STANDARD FEATURES

HULL & DECK FEATURES

- Bow Eye & Stern Eyes – Stainless Steel
- Cleats, 10" Thru-Bolted – Stainless Steel (8)
- Deck Fill Plates, Stainless Steel
- Drain Plug, Brass-Threaded
- Gel Coat, Arctic White
- Hardtop, Fiberglass with Carbon Fiber Reinforcement & Courtesy Lights
- Hull Windows, Acrylic
- Lights, Navigation – Stainless Steel Split Bow Lights with Mast Light
- Quiet Ride™ Technology
- Resin, High-Performance Vinylester
- Rub Rail, Black PVC with Stainless Steel Insert
- Storage, Anchor with Hatch
- Swim Platform, Integral/Extended; Swim Ladder with Integral Grab Handle
- Thru-Hull Fittings, Stainless Steel
- Vent System, Engine Compartment – Integral
- Windlass, Rope / Chain with Galvanized Anchor, Anchor Chute, Wash Down and Bow Controls
- Windshield, Tempered / Tinted Glass with Stainless Steel Header & Supports
- Windshield Wiper – Starboard

COCKPIT FEATURES

- Beverage Holders – Stainless with Inserts
- Cockpit Vinyl Color: Ivory (White Base Vinyl with Brown Accent Vinyl)
- Cooler with Designated Storage – 1 Bow; 1 Cockpit
- Dash, Custom Soft-Touch
- Dash, Acrylic Skylight – Port
- Door, Bow Block-Off – Acrylic
- Floor, Finished Fiberglass with Drainage Overboard
- Glove Box, Portside – Lockable
- Grab Handles, Stainless Steel with Vinyl Wrap
- Lighting, LED Courtesies
- Outlets, 12V Accessory (2)
- Outlets, USB (12)
- Steps, Boarding (Molded In)
- Storage – Below ETS Cockpit Seat
- Storage – Port Corner Seating

- Storage – Port Bumper Storage with Fiberglass Hatch
- Storage – Below Aft, Port Side Seat; Helm & Companion Seats
- Storage – Ski/Wakeboard with Gas-Assisted Hatch
- Storage – Transom Walkway
- Storage – Under Port Console: Door, Enclosed with Fiberglass Lockable Door; Finished Fiberglass with Non Skid Floor
- Table, Teak Cockpit
- Transom Washdown Faucet
- Walk-Thru Transom
- Wet Bar
 - Refrigerator (2.3 cu. ft.) with Pull-Out Drawers
 - Solid-Surface Countertop
 - Stainless Steel Grab Handle
 - Stainless Steel Sink with Faucet
 - Trash Receptacle

HEAD (UNDER HELM)

- Fiberglass Lockable Door
- Head, VacuFlush® with 27 Gallon Holding Tank
- Holding Tank Level Indicator
- Lighting, LED Courtesy
- Molded Fiberglass Liner
- Non-Skid Floor Treatment
- Power Vent, 12V
- Sink with Faucet
- Stainless Steel Hardware
- Wood Storage Shelf with Mirrored Bulkhead

SEATING

- Bow with Hinged Cushions & Arm Rests and Table Storage Below
- Cockpit Social Area with Opposing Seating
- Helm Dual Bucket Seat with Slider, Single Flip-Up Bolster & Footrest
- Port Companion Dual Bucket Seat with Single Flip-Up Bolster
- Transom Concealable Aft Facing Loungers / Sunpad

TECHNICAL FEATURES

HELM

- Alarm, High-Water
- Alarms, Engine – Oil & Water (Audible)
- Dual Digital Dash with Mercury® VesselView® Link Data (9")
 - Active Trim control & monitoring
 - Chartplotter with Preloaded Charts (North America Only)
 - NAVIOP Digital Switching
 - Simrad® GO9 (9") Touchscreen Displays (2)
 - Transducer with Depth, Water Temperature & Fishfinder
- Drink Holder
- Horn
- Mercury Marine® Joystick Piloting for Outboards
- Mercury VesselView® Mobile
- Shift & Throttle Lever – SmartCraft Digital Throttle & Shift (DTS) with Trim Switch & Ignition Cutout Switch
 - Active Trim speed-based automatic engine trim system with integrated GPS
 - Engine Start / Stop
- Steering, Isotta Pachu Tilt Wheel – Power-Assisted
- Stereo, Fusion® Apollo™ RA770 12V AM/FM
 - Apollo™ Series Amplifier, 6-Channel (1800W)
 - Bluetooth™
 - Digital Signal Processing (DSP)
 - Wi-Fi Audio Streaming with Apple AirPlay® 2
 - XS Series Speakers (6.5") – 4 Pairs
 - XS Series Subwoofer (10")
- Switch Panel with Illuminated Weatherproof Push Buttons
- Tilt & Trim, Power

BILGE

- Bilge Pump, 1700GPH 12V Automatic (2)
- Bilge Pump, 1100GPH 12V Automatic High-Water
- Gel-Coated Compartment
- Lighting, 12V

ELECTRICAL SYSTEMS

- Battery Charger/Converter, 120V/60 Cycle
- Battery On/Off Switches with Trays (2) – Located in Walk-Thru Transom
- Breaker Panels, Waterproof – Electronic Interface Modules
- Fuse Block / Breaker
- Main DC Distribution Hub
- Panel, Main Distribution

FUEL SYSTEMS

- Evaporative Emissions Fuel System
- Fuel Lines, USCG – Type A-1
- Fuel Tank with Mechanical Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR

- Propellers, Stainless Steel
- Variable Running Surface (Trim Tabs)

WATER SYSTEM

- Pressure Water System with 12V Pump
- Water Manifold System
- Water Tank (30 Gallons) with Level Indicator and Water Filter System

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

- Twin Mercury 350 Verado Outboards with Joystick Piloting – White (T-350 hp / 261 kW)
- Twin Mercury 400 Verado Outboards with Joystick Piloting – White (T-400 hp / 298 kW)
- Twin Mercury Racing 450R 4.6L V8 Outboards with Joystick Piloting – Cold Fusion White with Carbon Fiber Accents (T-450 hp / 336 kW)

EXTERIOR COLOR

- Gel Coat, Full Hull
- Gel Coat, Hull Bottom – Arctic White or Onyx Black
- Gel Coat, Hull Side
- Gel Coat, Three Zone
- Gel Stripe

UPHOLSTERY, INTERIOR, SEATING & FLOORING

- Bow Filler Cushions
- Bow Side Tables (2), Teak with Dedicated Storage
- Cockpit Filler Cushions
- Cockpit Vinyl Color – Dune (Tan Base Vinyl with Brown Accent Vinyl)
- Cockpit Vinyl Color – Stone (Gray Base Vinyl with Dark Gray Accent Vinyl)
- Flooring Color: Brown or Gray
- Port Hideaway® Berth Upgrade (Under Port Console; Requires an Inverter)
 - Air Conditioning in Berth & Head (3500 BTU)
 - Berth Filler Cushions
 - Berth SeaDek Flooring
 - 19" Berth TV with Input Ports & Media Shelf
 - CO Monitor
 - Lighting, LED Courtesy
 - Outlet (12V)
 - Outlet (USB)
 - Storage
- SeaDek Swim Platform Matting (Glue Down)
- SeaDek Flooring – Bow & Cockpit
- Snap-In Infinity Woven Vinyl Flooring – Bow & Cockpit
- Teak Flooring for Bow & Cockpit
- Teak Flooring for Swim Platform & Walk-Thru

HARDTOP, TOWERS & CANVAS

- Canvas Color: Black
- Canvas Package For Fiberglass Hardtop
 - Cockpit and tonneau cover
 - Front visor with isinglass
 - Side curtains with isinglass
 - Aft curtain with isinglass
 - Storage bag
- Cockpit Cover with Tonneau Cover
- Hardtop, Fiberglass with Opening Canvas Section
- Mooring Cover
- Sunshade, Extended
- Sunshade, Manual with Poles (Bow Seating)


ELECTRONICS

- Audio Upgrade, Fusion® Premier
 - Apollo™ Series Amplifier, 8-Channel (2400W)
 - Apollo™ Series Monoblock Amplifier for Subwoofer (2000W)
 - NRX 300 Transom Remote
 - Signature Series Speakers (6.5") – 4 Pairs
 - Signature Series Subwoofer (10")
 - Speakers with LED Lighting
- NAUTIC-ON™ Remote Monitoring (U.S. Only. Shorepower Required)
- Simrad® SelectResponse™ Glass Dash with Mercury® VesselView® Link Data (12")
 - Active Trim control & monitoring
 - Chartplotter with Preloaded Charts (North America Only)
 - NAVIOP Digital Switching
 - Simrad® G012 (12") Touchscreen Displays (2)
 - Transducer with Depth, Water Temperature and Fishfinder
- Simrad HAL024 Radar
- Simrad RS40 VHF Radio with Antenna
- SiriusXM® Satellite Receiver (N/A outside North America)

ADDITIONAL OPTIONS

- Air Compressor For Water Toys
- All Chain Windlass with Galvanized Anchor
- C E Option Group
- Docking Lights
- Dynamic Running Surface™ (Trim Tabs that Automatically Optimize Running Attitude and Trim, Delivering Stability and Performance that Exceed All Expectations)
- Electric Grill – 120v/60 (Requires Inverter)
- Electric Grill – 220v/50 (Requires Inverter)
- Fender Clips (6) – Quick Connect
- Flagpole with Base & US Flag
- Gray Water System
- Inverter – 12v To 120v/60 Cycle
- Inverter – 12v To 220v/50 Cycle

- LED RGB-W Color-Changing & White Accent Lighting Package
 - Bow, Cockpit, Hardtop & Hull Side Vents
 - Underwater Thru-Hull (4 Lights)
- Macerator with Seacock Interlock System
- Remote Controlled 5" Spotlight
- Shorepower Package with Converter & Cord – 120v/60
- Shorepower Package with Converter & Cord – 220v/50
- Stainless Steel Anchor
- VacuFlush Head System with Direct Overboard Discharge (Int'l)
- Water Heater (6 Gallons)



AREA UNDER PORT CONSOLE
*Shown with optional Port Hideaway®
berth upgrade amenities*

ACCOMMODATIONS PLAN
Shown with optional equipment

2023 PACKAGES

SLX 310/350/400



| | SLX 310 | SLX 310 OB | SLX 350 | SLX 350 OB | SLX 400 | SLX 400 OB |
|---|------------|---------------|------------|---------------|------------|---------------|
| Anchor, stainless steel | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Dynamic Running Surface™ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fender clips | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hardtop, fiberglass with opening canvas section | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Lighting package, LED RGB-W color-changing | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Simrad® SelectResponse™ 12" dual displays | ✓ | ✓ | ✓ | ✓ | | |
| Stereo upgrade, premier (spkr/subwoofer/amp) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Sunshade, extended | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Swim platform with automated submersible step | ✓ | | ✓ | | ✓ | |
| Windlass (rope/chain with galvanized anchor) | ✓ | ✓ | Standard | Standard | Standard | Standard |