


COMFORT ELEVATED

The Sundancer® 320 Outboard combines the values of a cruiser and a bowrider in a brilliant package. It delivers effortless command and maximizes the use of onboard space in three entertainment zones. Spaces include a robust lounge area, an open cockpit with convertible seating and an expansive cabin. Ideal for day trips or overnight stays, the beautifully designed cabin features accommodations for four and relaxing interior spaces for escaping the elements. It's also available in an open coupe model offering a full windshield and standard side windows, and a coupe model offering a full windshield and full side windows









STANDARD SPECIFICATIONS



STANDARD PROPULSION

Twin Mercury® 350 Verado® Outboards with Joystick Piloting (T-350 hp / 261 kW) - black



CRUISING SPEED

28-30 mph / 45-48 kph



WIDE OPEN THROTTLE (WOT)

44-46 mph / 71-74 kph



FUEL CAPACITY

158 gal / 598 L



RANGE

142 mi / 229 km (cruising speed) 128 mi / 206 km (WOT)



LENGTH OVERALL

34'9" / 10.59 m with outboards 36'4" / 11.07 m with outboards & anchor



BEAM

10'7" / 3.23 m



BRIDGE CLEARANCE

8'11" / 2.72 m without radar 10'11" / 3.33 m with radar



DRAFT

DRY WEIGHT

DEADRISE

21°

14,566 lb / 6,607 kg

WATER READY WEIGHT

16,186 lb / 7,342 kg (fully optioned)

44" / 112 cm (outboards down) 32" / 81 cm (outboards up)



WATER CAPACITY

32 gal / 121 L



HOLDING TANK

27 gal / 102 L



YACHT CERTIFIED





SLEEPS FOUR



- 1) Speed determined by GPS. Fuel consumption based on total usage by engines. MPG computed from MPH and GPH. Range based on 90% of total fuel capacity.
- 2) The performance data shown is valid only for the specific boat tested and the conditions that existed when the test was performed. Many factors may affect performance, including but not limited to, installation of certain options; vessel loading and trim; weather and sea conditions; and engine, propeller, and hull bottom conditions. Sea Ray makes no performance guarantees.



SPECIFICATIONS FOR TRIPLE ENGINE OPTION



OPTIONAL PROPULSION

Triple Mercury® 250 Verado® Outboards with Joystick Piloting (Tri-250 hp / 186 kW)



CRUISING SPEED

33-35 mph / 53-56 kph



WIDE OPEN THROTTLE (WOT)

52-54 mph / 84-87 kph



FUEL CAPACITY

220 gal / 833 L



RANGE

BEAM

10'7" / 3.23 m

BRIDGE CLEARANCE

8'11" / 2.72 m without radar

10'11" / 3.33 m with radar

239 mi / 385 km (cruising speed) 162 mi / 261 km (WOT)

34'9" / 10.59 m with outboards

36'4" / 11.07 m with outboards & anchor

LENGTH OVERALL



DRAFT

DRY WEIGHT

14,566 lb / 6,607 kg

44" / 112 cm (outboards down) 32" / 81 cm (outboards up)



WATER CAPACITY

32 gal / 121 L



HOLDING TANK

27 gal / 102 L



16,186 lb / 7,342 kg (fully optioned)

WATER READY WEIGHT



YACHT CERTIFIED



DEADRISE

210



SLEEPS FOUR



- 1) Speed determined by GPS. Fuel consumption based on total usage by engines. MPG computed from MPH and GPH. Range based on 90% of total fuel capacity.
- 2) The performance data shown is valid only for the specific boat tested and the conditions that existed when the test was performed. Many factors may affect performance, including but not limited to, installation of certain options; vessel loading and trim; weather and sea conditions; and engine, propeller, and hull bottom conditions. Sea Ray makes no performance guarantees.



AT A GLANCE

A HARDTOP OPTIONS

Choose from the standard hardtop, the optional open coupe hardtop with a full windshield and standard side windows, or the optional coupe hardtop (shown) with a full windshield and full side windows.

B SUN PROTECTION

The boat is available with an optional opening canvas section for the fiberglass hardtop and an optional sunshade that provides coverage for the bow seating area.

C CRUISE IN COMFORT

The bow offers a broad lounge

seating area with adjustable headrests and foldable armrests. Add an optional table to transform it to a dining space.



AT A GLANCE

A ELECTRONICS UPGRADE
Equip your boat with your favorite
electronics including an optional
Simrad® RS40 VHF radio with
antenna, optional Simrad® HALO24
radar and optional SiriusXM® satellite

B DUAL DIGITAL DASH™

receiver.

The Digital Dash™ places control at your fingertips with dual 9" Simrad® GO9 touchscreen displays or optional dual 12" Simrad® GO12 touchscreen displays.

C FUSION® AUDIO

Listen to music out on the water with premium sound from the Fusion® Apollo RA770 audio system or optional upgraded Fusion® Premier audio system.


Prepare drinks and snacks at the cockpit table (stowed) and wet bar offering a sink, optional Kenyon grill and optional refrigerator.


SWIM PLATFORM Transition from the boat to the water with ease on the spacious swim platform with a stainless steel fourstep swim ladder. THRILLING OUTBOARD POWER For maximum power, upgrade to triple Mercury® 250 Verado® outboard engines with Joystick Piloting and optional Dynamic \bigcirc Running Surface™.



COLORS & MATERIALS

EXTERIOR COLOR SCHEMES







VINYL UPHOLSTERY COLORS



lvory (standard)
White base with brown accents



Dune
Tan base with brown accents



Stone Gray base with dark gray accents

CANVAS



Sunbrella® Black

WET BAR



Corian® Limestone Prima

BOW & COCKPIT FLOORING



Non-skid fiberglass (standard)



SeaDek® - Dune



SeaDek® - Moonrock



Teak




Infinity woven vinyl – Brown



Infinity woven vinyl – Gray

SWIM PLATFORM FLOORING



Non-skid fiberglass (standard)



SeaDek® - Dune or Moonrock



Teak



CABIN MATERIALS



GALLEY CABINETS



Driftwood



CABIN ACCENT VINYL

Seaside Pebble



CABIN SEATING

R-Bond Linen



HEAD FLOORING

Limestone tile



HEAD COUNTERTOP

Corian® Earth



CABIN FLOORING

Titan Greige



CABIN ACCENT FABRIC

R-Bond Linen



ACCENT PILLOWS

Metro Vanilla



HEAD BACKSPLASH

Oyster Greige







STANDARD FEATURES

BOW & COCKPIT

- · Cup holders, stainless steel (11)
- Floor liner, fiberglass (self-bailing)
- Lighting, LED (courtesy)
- Outlets, 12V accessory (bow & helm) 5
- · Outlet, 120V GFCI
- Steps, boarding (integrated)
- Table, fiberglass with dedicated storage (cockpit)

DOORS

- · Bow walkthrough door, hinged
- · Cabin entry door, sliding lockable
- · Engine room hatch, electrically actuated with emergency pull handle & prop rod
- · Transom door, acrylic with stainless steel hardware

SEATING

- · Aft bench seating
- Bow lounge seating with adjustable headrests & foldable armrests
- Cockpit social area with opposing seating & storage
- · Helm bucket seats (dual) with flip-up bolsters
- · Port companion bench seat with convertible backrest

STORAGE

- Bow storage
- Cooler storage with carry-on cooler (cockpit)
- · Side panel tubs

WET BAR

- Countertop, solid surface
- · Handrail, stainless steel
- · Outlet, 120V GFCI
- · Sink, stainless steel with hot & cold faucet
- · Trash receptacle, pull-out

HULL & DECK

- · Bow rail. stainless steel
- Cleats, stainless steel through-bolted (10") 8
- · Curtains (front, side & aft) with tonneau cover & canvas storage bag
- · Deck fill plates, stainless steel
- · Drain plug, brass-threaded (garboard)
- Eyes, stainless steel (bow & stern)
- · Handrails, stainless steel
- · Hardtop, fiberglass
- · Hull windows, acrylic
- · Light, foldable (stern)
- · Lights, navigation (stainless steel)
- · Rub rail. PVC with stainless steel insert
- · Swim platform, integral with undermount stainless steel four-step swim ladder
- · Thru-hull fittings, stainless steel
- · Windshield, tempered tinted glass
- · Windshield wiper (starboard)

STORAGE

- Anchor storage
- · Storage for dock lines, fenders & gear (transom wall)

CABIN

- Lighting, LED (courtesy & accent)
- · Steps with aluminum frame & teak treads (cabin entry)

GALLEY

- Microwave
- Outlet, 120V GFCI
- · Refrigerator, dual-voltage
- · Storage cabinets, lower

HEAD

- · Door, lockable
- · Exhaust vent, 12V
- · Flooring & backsplash, tile
- · Full fiberglass enclosure
- · Handrail, stainless steel
- · Medicine cabinet with mirrored doors
- Outlet, 120V GFCI
- Shower curtain
- · Sink, vessel with single-lever faucet & shower wand
- · Toilet paper holder
- Towel hook
- VacuFlush® head with holding tank
- · Vanity with solid surface countertop & storage
- · Window, ventilation

MID-BERTH

- · Beds, twin (2) with sheet set (converts into gueen bed with storage underneath)
- · Carbon monoxide monitor
- · Curtains, privacy
- · Outlet, 12V accessory
- · Outlet, 120V GFCI
- · Pillows, accent
- · Storage, in-floor
- · Storage cabinets & lockers with shelves

SALON / V-BERTH

- · Carbon monoxide monitor
- · Outlet, 12V accessory
- · Outlet, 120V GFCI
- · Outlet, USB

- · Pillows accent
- Seating, V-shaped (converts into sleeper for 2 with storage underneath)
- Shades, pleated (hull windows)
- Table, dinette (solid wood)

TECHNICAL

ELECTRICAL

- Battery charger, onboard 12V
- · Electrical system, 120V 60Hz
- Fuse block
- · Isolator, galvanic
- · Main distribution hub. DC
- · Main distribution panel, AC/DC with voltage & current meters
- · Remote battery switches
- · Shorepower, 120V 30A with (2) 50' cords

FUSION® AUDIO SYSTEM

- Apollo™ RA770 AM/FM stereo (helm)
 - Apollo™ Series amplifier, 4-channel (1200W)
 - Bluetooth™
 - Digital Signal Processing (DSP)
- NRX300 remote unit (cabin)
- Wi-Fi audio streaming with Apple AirPlay® 2
- XS Series speakers (6.5") 3 pairs

HELM

- · Alarm, high water
- Digital Dash™, dual (9")
- Active Trim control & monitoring
- · Chartplotter with preloaded charts (North America only)
- Mercury Marine® VesselView® Link
- Simrad® GO9 (9") touchscreen displays (2)
- · Transducer with depth, water temperature & fishfinder
- · Horn, stainless steel
- Mercury Marine® Joystick Piloting for Outboards
- Mercury Marine® SmartCraft® Digital Throttle & Shift (DTS)
 - Active Trim speed-based automatic engine trim system with integrated GPS
 - Engine start / stop
- Mercury Marine® VesselView® Mobile
- Parallel start system
- Steering, power-assisted with Isotta Vertice tilt wheel
- · Switch panel with illuminated weatherproof stainless steel switches
- · Tilt & trim, power

MECHANICAL

BILGE

- · Bilge pump, 1100 GPH 12V automatic high-water (mid-ship)
- Bilge pumps, 1700 GPH 12V automatic (aft) 2
- · Bilge storage, finished (aft)
- · Fire suppression system, automatic with manual override
- Insulated & gel-coated enclosure
- · Sump box with automatic pump (mid-ship) for shower
- · Vents, integral

FUEL SYSTEM

- · Evaporative emissions fuel system
- · Fuel lines, USCG compliant
- Fuel tank with anti-siphon valve & electric sending unit

UNDERWATER GEAR

- · Propellers, stainless steel
- Variable Running Surface (trim tabs)

WASTE SYSTEM

- Holding tank level indicator (main distribution panel)
- · Holding tank with dockside pump-out, 28 gal

WATER SYSTEM

- Freshwater spigot
- · Shower, hot & cold (transom)
- · Water heater, 6 gal
- · Water inlet, dockside
- · Water manifold system
- · Water pressure system with 12V pump & filtration
- · Water tank, 32 gal

OPTIONS & ACCESSORIES

PROPULSION

- Twin Mercury® 350 Verado® Outboards with Joystick Piloting (T-350 hp / 261 kW) - white
- Triple Mercury® 250 Verado® Outboards with Joystick Piloting (Tri-250 hp / 186 kW)
- black or white
- Fuel capacity: 220 gal / 833 L

BOW & COCKPIT

- Filler cushion (cockpit)
- Flooring, Infinity Luxury Woven Vinyl™ (snap-in)
- · Flooring, SeaDek®
- · Flooring, teak
- Kenyon grill (wet bar)
- Refrigerator, dual-voltage (wet bar)
- · Table, fiberglass with teak overlay (cockpit)
- Table with dedicated storage (bow)

HULL & DECK

- · Open coupe enclosure
 - · Bow walkthrough door, sliding
 - · Curtains (aft, aft side & side) with tonneau cover & canvas storage bag
- · Windshield, tempered tinted glass with single forward pane
- Coupe enclosure (adds 100 lb / 45.36 kg)
 - Bow walkthrough door, sliding
 - · Curtains (aft & aft side) with tonneau cover & canvas storage bag
- · Windows, full (port & starboard) with electric opening vents
- · Windshield, tempered tinted glass with single forward pane
- · Anchor, stainless steel (only available with windlass option)
- · Bow rail, split
- · Fender clips, quick connect (6)
- · Flagpole with base & U.S. flag
- Swim platform flooring, SeaDek® (glue-down)
- · Swim platform flooring, teak
- · Windlass with chain, galvanized anchor & bow washdown (adds 1'7" / 0.48 m)
- · Windlass with rope, chain, galvanized anchor & bow washdown (adds 1'7" / 0.48 m)
- · Windshield defroster (required with coupe enclosure)

TOPS & CANVAS

- · Cockpit cover (only available with standard windshield)
- · Opening canvas section, manual for fiberglass
- Ski tow attachment (for fiberglass hardtop)
- Sunshade, automated extended SureShade® for fiberglass hardtop (aft)
- Sunshade, manual with poles (bow seating)

CABIN

Portlights, opening (salon / V-berth)

TECHNICAL

ELECTRICAL

- Electrical system, 220V 50Hz
- Generator, gas (7.5 kW)
- Inverter, 12V

ELECTRONICS

- 1st Mate[™] Marine Safety & Security System
- NAUTIC-ON™ remote monitoring (U.S. only)
- Simrad® HALO24 radar
- Simrad® RS40 VHF radio with antenna
- SiriusXM® satellite receiver (North America only; subscription required)
- TV, 19" with Blu-ray player (mid-berth)
- TV, smart 24" with Blu-ray player (salon / V-berth)

FUSION® PREMIER AUDIO SYSTEM UPGRADE

- Apollo™ RA770 AM/FM stereo (helm)
 - Apollo™ Series amplifier, 6-channel (1800W)
 - Bluetooth™
 - Digital Signal Processing (DSP)
 - NRX300 remote units (bow & transom) 2
 - Signature Series speakers (6.5") 3 pairs
 - Signature Series subwoofer (10")
 - Wi-Fi audio streaming with Apple AirPlay® 2
- Apollo™ SRX400 AM/FM stereo (cabin)
 - Bluetooth™
 - Digital Signal Processing (DSP)
 - Signature Series speakers (6.5") 1 pair
 - · Wi-Fi audio streaming with Apple AirPlay® 2

HELM

- Digital Dash™, dual (12")
 - · Active Trim control & monitoring
 - Chartplotter with preloaded charts (North America only)
 - Mercury Marine® VesselView® Link
 - Simrad® GO12 (12") touchscreen displays (2)
 - · Transducer with depth, water temperature & fishfinder

LIGHTING

- LED RGB-W color-changing & white accent lighting package
 - · Lighting for bow, cockpit & hardtop
 - Underwater thru-hull (3 lights)
- · Lights, docking
- · Spotlight, remote controlled

MECHANICAL

AIR CONDITIONING & HEATING

- A/C & heating (cabin: 12,000 BTU)
- A/C & heating (cockpit: 16,000 BTU; cabin: 12,000 BTU)

UNDERWATER GEAR

 Dynamic Running Surface™ (trim tabs that automatically optimize running attitude & trim, delivering stability & performance)

WASTE SYSTEM

- · Gray water system
- Macerator with seacock interlock system
- VacuFlush® head with direct overboard discharge (international only)

INTERNATIONAL SYSTEMS

CE certification

Some features and options may not be available when a boat is built for regions outside North America and/or has CE certification. Boats ordered with 220V 50Hz electrical systems will have the appropriate appliances in the corresponding voltage.



LAYOUTS







CABINSleeper configuration





